

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18	((ignor\$3 or disregard\$3) near2 (refresh\$3 or (duplicat\$3 or repeat\$3) near2 request)) and tcp and http	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 09:35
L2	65	impatient and request and html and browser and server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 09:35
L3	40	((repeat\$3 or resubmit\$4 or re-click\$3) near4 (link or hyperlink or request)).ti,ab. and http	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 09:35
L4	17	(L1 or L2 or L3) and @pd>"20040923"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 09:56
L5	8495	request\$3 near5 (proxy or gateway)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 09:56
L6	491932	((end or ending or terminat\$3) near5 (connection request)) or disconnect\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 09:57
L7	4527	((end or ending or terminat\$3) near5 (connection request)) or disconnect\$3 with (client or requestor)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 10:00
L8	717	5 and 7	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 09:58
L9	379	8 and cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 09:59
L10	48846	(same\$1 or duplicate or repeat\$3) near5 (request\$3 or client or ip adj address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 10:00
L11	322	9 and 10	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 10:00
L12	12462	5 samd 7	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 10:00

L13	122	5 same 7	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 10:01
L14	1035	5 same cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 10:01
L15	32	13 and 14	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 10:01
L16	12	15 and (@ad<"20010607" or @prad<"20010607" or @rlad<"20010607")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 10:35
L17	96	double adj click near3 (url or link or hyperlink)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 10:31
L18	45	17 and (proxy or cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 10:31
L19	42	18 and (@ad<"20010607" or @prad<"20010607" or @rlad<"20010607")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 10:36
L20	82	("6185625" "6247050" "6421733")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 10:36
L21	75	20 and (@ad<"20010607" or @prad<"20010607" or @rlad<"20010607")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/06 10:36

IEEE Search:

client <near/3> (specific) <near/3> cache and (proxy or gateway)

client <near/5> entry <near/5> cache and (proxy or gateway)

ip <near/2> address <near/6> cache

ProQuest Direct Search:

client w/2 specific w/2 cache

cache w/4 entry and (proxy or gateway or server)